10

CLAIMS

1. Method for dynamically modifying access
right profiles in the operating system of a computer
system,

5   said method comprising the steps of:
defining in the computer system access right pro-
files having individual command rights to the operat-
ing system of the computer system,
c h a r a c t e r i z e d in that the method
10 further comprises the steps of:
recognizing the need for modification of the ac-
cess right profiles in the computer system;;
reading the information contained in the access
right profiles;
15   establishing which access right profiles have to
be modified; and
modifying the access right profiles dynamically as
necessary in view of the need for modification that
has been recognized.
20   2. Method as defined in claim 1, c h a r a c -
t e r i z e d in that an access right profile compris-
ing one or more user identifiers is defined in the com-
puter system.
3. Method as defined in claim 1, c h a r a c -
25 t e r i z e d in that an access right profile compris-
ing one or more terminals is defined in the computer
system.
4. Method as defined in claim 1, c h a r a c -
t e r i z e d in that the access right profiles in the
30 computer system are modified as a function of time.
5. Method as defined in claim 1, c h a r a c -
t e r i z e d in that the access right profiles in the
computer system are modified as a function of the
utilization rate of the computer system.
35   6. Method as defined in claim 1, c h a r a c -
t e r i z e d in that the access right profiles in the

11

computer system are modified when a predetermined alarm situation occurs in the computer system.

7. Method as defined in claim 1, c h a r a c -
t e r i z e d in that the access right profiles in the
5   computer system are modified as a function of session duration and/or operation commands used and/or number of sessions held.

8. Method as defined in claim 1, c h a r a c -
t e r i z e d in that the access right profile in the
10 computer system is modified even if a session consistent with an access right profile should be active.

9. Method as defined in claims 1 - 8,
c h a r a c t e r i z e d in that the computer system is a telephone switching system.

15   10. System for dynamic modification of access right profiles in the operating system of a computer system, in which access right profiles having individual command rights regarding the operating system of the computer system have been defined,

20   c h a r a c t e r i z e d in that the system comprises:

means (1) for recognizing the need for modification of the access right profiles in the computer system;

25   means (2) for reading the information contained in the access right profiles;

means (3) for establishing which access right profiles have to be modified; and

means (4) for modifying the access right profiles
30 dynamically as necessary in view of the need for modification that has been recognized.

11. System as defined in claim 10, c h a r -
a c t e r i z e d in that the system comprises means
(5) for defining in the computer system an access
35 right profile comprising one or more user identifiers.

12. System as defined in claim 10, c h a r -
a c t e r i z e d in that the system comprises means

12

(6) for defining in the computer system an access
right profile comprising one or more terminals.

　　　13. System as defined in claim 10, c h a r -
a c t e r i z e d in that the system comprises means
5　　(7) for modifying the access right profiles as a func-
tion of time.

　　　14. System as defined in claim 10, c h a r -
a c t e r i z e d in that the system comprises means
(8) for modifying the access right profiles in the
10　computer system as a function of the utilization rate
of the telephone switching system.

　　　15. System as defined in claim 10, c h a r -
a c t e r i z e d in that the system comprises means
(9) for modifying the access right profiles in the
15　computer system when a predetermined alarm situation
occurs in the telephone switching system.

　　　16. System as defined in claim 10, c h a r -
a c t e r i z e d in that the system comprises means
(10) for modifying the access right profiles in the
20　computer system as a function of session duration
and/or operation commands used and/or number of ses-
sions held.

　　　17. System as defined in claims 10 -16,
c h a r a c t e r i z e d in that the computer system is
25　a telephone switching system.